



Product Change Notices

PCN No.:20220602

Date:6/22/2022

This is to inform you that **AME8907** datasheet has been changed from **Rev. C.01** to **Rev. D.01**. This notification is for your information and concurrence.

If you require Qual/Rel data or samples to qualify this change, please contact AME, Inc. directly or through AME's authorized Sales Representative or Distributor within 30 days.

Please note this PCN will be effective 30 days after the issuing date automatically if we do not receive any response, comment or questions from you.

If you have any questions concerning this change, please contact:

PCN Originator:

Name: Ryan Shen

Email: ryans@ame.com.tw


Reason for Change:

- Revise Ordering Information (Page 6)
- Revise Electrical Specifications (Page 9)
- Revise Tape and Reel Dimension (Page 16)


Modify Lead pattern dimension and note 2 of AME8907 datasheet as follows:

1. Page 6: Ordering Information

From



To



2. Page 9: Electrical Specifications (Over Temperature Hysteresis-Test Condition)

From

Parameter	Symbol	Test Condition	Min	Typ	Max	Units
Over Temperature Hysteresis	OTH			30		°C

To


Parameter	Symbol	Test Condition	Min	Typ	Max	Units
Over Temperature Hysteresis	OTH	$I_{OUT} = 1mA$		30		°C

3. Page 16: Tape and Reel Dimension

From

■ Tape and Reel Dimension (Contd.)

DFN-4A
(1x1x0.4mm)




Carrier Tape, Number of Components Per Reel and Reel Size

Package	Carrier Width (W)	Pitch (P)	Pitch (P0)	Part Per Full Reel	Reel Size
DFN-4A (1x1x0.4mm)	8.0±0.1mm	4.0±0.1 mm	4.0±0.1 mm	3000pcs	180±1 mm

To

■ Tape and Reel Dimension (Contd.)

DFN-4A
(1x1x0.4mm)



Carrier Tape, Number of Components Per Reel and Reel Size

Package	Carrier Width (W)	Pitch (P)	Pitch (P0)	Part Per Full Reel	Reel Size
DFN-4A (1x1x0.4mm)	8.0±0.1mm	2.0±0.1 mm	4.0±0.1 mm	10000pcs	180±1 mm